



Intravenous Pyelogram (IVP)

This brochure tells you about an IVP, the benefits and the risks, what happens before, during and after having an IVP.

What is an IVP?

An IVP uses x-rays and a special dye to make pictures of the urinary tract (kidneys, ureters and bladder).

The special dye is injected into your veins. After the dye is injected, pictures are taken using an x-ray machine. The dye will pass out of your body in your urine. You will not notice it as it is colourless.

Benefits of an IVP

- Used for diagnosis to show **detail** of your kidneys, ureters and bladder.
- Can be used to show how well your kidneys, ureters and bladder are working.

Risks of an IVP

Your doctor knows the risks of having an IVP. Your doctor will consider the risks before recommending you to have an IVP. Possible risks are:

- Not recommended for pregnant women.
- Some medications cannot be taken before and straight after an IVP. Please tell staff about any medications you are taking.
- Small amount of radiation. The amount of radiation you are exposed to depends on the number of pictures taken.
- **Extremely small** chance you could develop cancer in the long term from the radiation.
- An allergic reaction from the dye. You may have nausea, sneezing, vomiting, itching, hives and dizziness. More serious reactions can occur, but are very rare.
- Infection at the site of an injection

If you have any allergies, tell the staff or radiology doctor.

If you are concerned about the risks, talk to your doctor before the examination.

Preparation for the IVP

- Bring your referral letter or request form and all x-rays taken in the last 2 years with you.
- Leave the x-rays with the radiology staff as the doctor may need to look at them. The radiology staff will tell you when these are ready to be picked up.
- Wear comfortable, loose clothing.
- Leave all jewellery and valuables at home.

- You may be asked not to eat or drink for a few hours before the IVP.

Important to tell your doctor before the IVP

- If you are or may be pregnant
- Any allergies and medical conditions you have, including asthma, diabetes, heart disease, kidney disease or thyroid problems.
- Any medications you are taking.

The day before your IVP:

- You will be given instructions about what you can eat and drink during the day before the test
- You may be given a laxative to make sure your bowels are empty

Just before the IVP:

- You will be given a gown to wear.
- You may be asked to remove any metal objects.
- You may be asked not to eat or drink anything 6 to 8 hours before the IVP

Consent

You have the right to refuse an examination and may do so if you wish. You may be asked to complete a consent form.

What happens during an IVP?

Staff will ask you to lie on your back on the x-ray bed. When you are in the correct position, the person taking the x-rays will go behind a screen to take an x-ray before you have any dye injected.

Staff will put a needle into a vein in your hand or arm for the injection of dye. A salt water fluid may be passed through the needle so that it does not become blocked.

Possible side effects of the 'dye':

- You may feel a slight stinging sensation and a warm flushing feeling for a few seconds.
- Metallic taste in mouth
- You may feel like you are wetting your pants, **even though you are not.**

Sometimes a tight band is placed around your stomach. This can help get better pictures.

You may be asked to go to the toilet and empty your bladder in the middle of having your IVP done. The staff will continue with the IVP after you have been to the toilet.

When the IVP is finished you will be asked to wait while the staff check the pictures.

The IVP including getting you ready on the table takes between 30 to 60 minutes.

When will I get the results?

The amount of time it takes for you to get your results will differ depending on where you get your scans done. The radiology doctor will look at the pictures and write a report. The pictures may be on films or on a CD.

Ask whether you should wait to take the pictures and report with you, or whether they will be sent to your doctor.

Your doctor will need to discuss the report with you. You will need to make an appointment to do this.

After the IVP

You will be able to leave soon after the IVP is finished and can continue with normal activities.

- Staff will remove the needle in your arm
- Staff will give you any special instructions
- The dye will pass out of your body in your urine. You will not notice it as it is colourless.
- Drink plenty of fluid to help get rid of the dye.

Costs

For an Australian patient in a Public Hospital in Western Australia

- Public patient – No cost to you unless advised otherwise
- Private patient – Costs can be claimed through Medicare and your health insurance provider

For a patient in a Private Hospital or Private Imaging Site in Western Australia or a patient outside Western Australia

- Ask your doctor or the staff where you are having your test done what the cost will be

Further Information

For more detailed information, please see [Inside Radiology](#), a resource produced especially for consumers by the [Royal Australian and New Zealand College of Radiologists](#).

If you would like to look at other relevant brochures, please see

- [Plain x-ray](#)
- [Radiation risks of x-rays and scans](#)

Or log into the Diagnostic Imaging Pathways website -

www.imagingpathways.health.wa.gov.au/includes/consumer.html

or

If you have questions or require any further information please contact your doctor or speak to the staff where you are going to have your procedure.

Consumer Participation

This information has been reviewed by representatives from the following groups:

- Aboriginal people
- People with disabilities
- Seniors
- CALD (Culturally and Linguistically Diverse)
- The Health Consumers' Council.

Feedback

The Division of Imaging Services, Royal Perth Hospital is committed to providing a friendly and professional service. If you would like to provide feedback on this information sheet, please send to:

Quality Coordinator
Imaging Services

Royal Perth Hospital
GPO Box X2213
Perth WA 6000

Website

For more information go to www.imagingpathways.health.wa.gov.au

Copyright

© Copyright 2009, Department of Health Western Australia. All Rights Reserved.

This web site and its content has been prepared by The Department of Health, Western Australia. The information contained on this web site is protected by copyright.

Legal Notice

Please remember that this leaflet is intended as general information only. It is not definitive and The Department of Health, Western Australia can not accept any legal liability arising from its use. The information is kept as up to date and accurate as possible, but please be warned that it is always subject to change.

